

Lewe.com

TeamCal Pro
Know who's in

U s e r G u i d e

© 2010 by Lewe.com

All rights reserved. No parts of this work may be reproduced in any form or by any means - graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems - without the written permission of Lewe.com.

Products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

While every precaution has been taken in the preparation of this document, the publisher and the author assume no responsibility for errors or omissions, or for damages resulting from the use of information contained in this document or from the use of programs and source code that may accompany it. In no event shall the publisher and the author be liable for any loss of profit or any other commercial damage caused or alleged to have been caused directly or indirectly by this document.

Created: April 2010

TeamCal Pro

User Guide

Document

Title: TeamCal Pro
Type: User Guide
Author: George Lewe
Version: 3.3.001
Date: 4/13/2010

Contact

Lewe.com
Software Engineering
SW-EN

Name: George Lewe
Phone: 0
Fax: 0
e-Mail: george@lewe.com
Internet: <http://www.lewe.com>

Content

1	Introduction	1
1.1	TeamCal Pro License	1
2	Installation	5
3	Main Interface	9
3.1	Menu Bar	9
3.2	Calendar Display	11
3.3	Year Calendar Display	15
3.4	Announcement Popup	17
3.5	Announcement Page	18
3.6	Global Statistics Display	18
3.7	Remainder Current Year	21
4	Dialogs	23
4.1	Daynote	23
4.2	Add/Edit Profile	24
	Personal Data	25
	Membership	26
	Options	27
	Privileges	28
	Absences	30
	Avatar	31
	Other	32
4.3	Legend	33
4.4	Login	33
4.5	Message Center	35
4.6	Month Template	36
4.7	User Calendar	37
4.8	User Registration	39
4.9	View Profile	40

5	Administration	42
5.1	TeamCal Pro Configuration	42
	Theme Support	43
5.2	Users	45
5.3	Groups	46
5.4	Group Assignment	47
5.5	Absence Types	49
5.6	Absence Icon	51
5.7	Regions	52
5.8	Holiday Types	53
5.9	Declination	54
5.10	Database Maintenance	56
5.11	System Log Options	59
5.12	System Log Page	60
5.13	Icon Upload Dialog	60
5.14	Absence Assignment	61
5.15	User Import	62
5.16	Template User	63
Index		65

1 Introduction



TeamCal Pro is a web-based application utilizing PHP and a MySQL database. Its generic purpose is the absence management of project teams, more precisely of their members.

The goal was to create an optically attractive but also effective representation of a calendar display, showing the presence and absence of each team member. TeamCal Pro supports the customization of holiday types and absence types, thus its purpose can be altered to any graphical representation of timeline based processes or activities, e.g. a simple project plan or an event management.

I hope you enjoy TeamCal Pro.
Best regards,
George Lewe

TeamCal Pro ist eine web-basierte Applikation beruhend auf der Scriptsprache PHP und einer MySQL Datenbank. Seine wesentliche Aufgabe ist die Verwaltung von An- und Abwesenheiten von Teams, genauer gesagt von dessen Mitarbeitern.

Ziel war es, eine optisch attraktive aber effektive Kalenderdarstellung zu finden, die schnell und übersichtlich die An- und Abwesenheiten von Teammitgliedern anzeigt. TeamCal Pro bietet viele Möglichkeiten der Anpassung, z.B. individuelle Feiertags- und Abwesenheitstypen, so dass auch ganz andere Anwendungen denkbar sind, beispielsweise ein simpler Projektplan oder ein Ereignismanagement.

Ein deutsches Hilfesystem kann ich aus Zeitmangel leider nicht pflegen. Hier obliegt es dem jeweiligen Administrator, eventuell eine eigene deutschsprachige Hilfe zu erstellen und in die Applikation einzubinden.

Ich hoffe, TeamCal Pro unterstützt Sie nach Ihren Wünschen.
Mit freundlichen Grüßen,
George Lewe

1.1 TeamCal Pro License

TeamCal Pro was developed by George Lewe (<http://www.lewe.com>). TeamCal Pro is free software; it may be redistributed and/or modified under the terms of the

- GNU General Public License as published by the Free Software Foundation (<http://www.gnu.org>).
- TeamCal Pro License as published with the product

A copy of the license agreement has been distributed with TeamCal Pro named gpl.txt.

GNU License

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program. You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- * You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- * You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- * If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:
 - * Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - * Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
 - * Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will

automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.
6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.
7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.
9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of

promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.
12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

TeamCal Pro License

Even though (and especially because of) an author of free software is not paid for his work I consider it as important to reference to the original author's work appropriately. It is not only a matter of good manners, decency and code of honor.

Therefore, in addition to the GPL license you agree to the following conditions if you decide to use or modify or distribute TeamCal Pro:

1. You may NOT alter or disable comments, references, statements and displays of the:
 - Application information (name, version) (exception see (2))
 - Author's information (name, URL, e-mail)
 - Author's Copyright
 - "Powered by" information (must always be displayed on each page)
 - Help-About dialog
2. You may alter 'header.application.inc.php' to your liking, e.g. use your own image and/or subtitle. If you develop identifiable sections of code that are not derived from the original Application and can be reasonably considered independent and separate works in themselves, like an integration module for a CMS, you may identify your new sections by appropriate references to you as the modifying author. In such a case you may also alter the version number of the Application based on the original version number in order to reflect the independent additions to the Application (e.g. 2.2 => 2.2m).
3. If you deem TeamCal Pro valuable in your area, especially in a commercial environment, I kindly ask for a voluntary donation to my PayPal account. You can find donation links on <http://www.lewe.com>.

2 Installation

Installing TeamCal Pro has been made much easier with version 3.0. An installation script takes away the hassle of manually editing files to set up your individual environment. The recommended basic installation steps are:

- Unpack the TeamCal Pro archive to your local hard drive
- Copy the TeamCal Pro directories including all sub directories and files to the desired location at your web space
- Direct your browser to the location of your TeamCal Pro. The installation page will show.
- Enter all information as requested and click [Install]

That does not sound too difficult, does it?

I have done my best to keep it as straight forward and easy as possible. You techies scroll down to read more details...

TeamCal Pro Installation	
Application Settings	
Application Root Directory <i>Specify the absolute directory of your TeamCal Pro copy relative to your server root directory, including a leading and trailing slash (e.g. /tcpro/).</i>	/mycal/
Application URL <i>Specify the unique resource locator (URL) of your TeamCal Pro copy (e.g. http://www.lewe.com/tcpro).</i>	http://localhost/mycal
Test	The Root Directory seems to be correct. The URL seems to be correct.
Database Settings	
Database Server <i>Specify the URL of the database server.</i>	localhost
Database Name <i>Specify the name of the database.</i>	test
Database User <i>Specify the username to log in to your database.</i>	root
Database Password <i>Specify the password to log in to your database.</i>	
Database Table Prefix <i>Specify a prefix for your TeamCal Pro database tables.</i>	mycal_
Test	Connect to mySQL server and database successful.
Sample Data	
Sample data <i>Check whether you want a set of sample data loaded or not.</i>	☒ Sample data ☐ Basic data only
License Agreement	
License Agreement <i>TeamCal Pro is a free open source application. However, if you want to use it you must accept the license agreements.</i>	☐ I accept the General Public License (View) ☐ I accept the TeamCal Pro License (View)
Start Installation	
Install	

Installation Page

The Installation shows explanations to all entries. You should be able to figure it out quickly. Here are some more hints and examples.

Application Settings

Application Root Directory

The URL to your TeamCal Pro application (like <http://www.lewe.com/tcpro>) does usually not represent the directory path on your web server where TeamCal Pro resides. You can compare this in the Windows world with the icon "My Documents" pointing to a directory like "C:\Documents and Settings\SomeUsername\My Documents". Your web site resides in a certain and specific directory on the web server. TeamCal Pro needs this information to work properly and to know where certain files can be found.

Let's look at an example. Let's say you have bought web space from a provider. And let's say you have registered the domain "thisismydomain.com". Your URL to your web space will then be "http://www.thisismydomain.com", but the directory on the web server in the provider's data center will be something like "/customers/homepages/12345/htdocs". There is such a directory for each customer. TeamCal Pro needs to know this information.

But don't worry, you don't need to look that up. Let's say you connected to your web space via FTP and copied your local TeamCal Pro directory that you called "tcpro" right in your home directory on the web server. Then, in our example, the fully specified application root directory of TeamCal Pro would be "/customers/homepages/12345/htdocs/tcpro", right? But all you need to enter in the installation page is just the name of the TeamCal Pro folder, followed by a slash. Easy enough? That would be in our case "/tcpro/". When the installation page starts TeamCal Pro will already display the directory name it seems that your installation resides in.

You can use the [Test] button to see if your entries make sense to TeamCal Pro.

Application URL

Do I have to explain this again? I guess you know by now. When the installation page starts TeamCal Pro will already display the URL it seems that your installation is reachable at.

Database Settings

Now this is a bit more tricky and requires some knowledge about MySQL databases, depending on how good your provider is. When you buy web space from a provider you usually get access to a specific web site where you can set up your web space. One option usually is to create a MySQL database. It is more or less a matter of a few clicks in your browser and your database is ready to go. You will usually get a response about the database server name, database name and the user name and password to access it. Just take that information and enter it here.

You can use the [Test] button to see if your entries make sense to TeamCal Pro.

Sample Data

TeamCal Pro comes with a set of sample data. If you like to enter a few users and groups into your database upon installation just select "Sample Data" here. There are just a few, not too many to delete them after you have tested a few things with them. If you are familiar with TeamCal Pro from previous versions and don't need sample data, select "Basic Data". This will install all necessary initial settings, but now groups or users (except of 'admin').

The 'admin' user will be installed either way. His password is 'root'.

License Agreement

TeamCal Pro is free open source software, probably the thing you like most about it. However, it does not mean you can do anything with it. Is it not yours. It is just licensed to you for no money. You still have to agree and accept the license agreements that come with it. Please make sure you read and accept them. It is my work, my time and my sweat that makes this application work for you and I believe the least you can do for me is to honor these agreements.

Start Installation

After you have entered all information (use the [Test] buttons to verify your inputs) click the [Install] button to save your configuration and start TeamCal Pro.

Delete "installation.php"

Since you can set basic configuration data and even overwrite the database with the installation script, it is

highly recommended to delete "installation.php" after a successful installation. If you don't do so, each time the admin logs in, a security warning message will pop-up, using the TeamCal Pro announcement feature.

From here on only the techies want to read...


Technical Details

The TeamCal archive contains two files, named **config.default.php** and **installation.php**. If these two files exist, and specifically no file named **config.tcpro.php** is present, the index.php will launch installation.php. After you have entered your installation info and have clicked the [Install] button, the file **config.tcpro.php** will be created and index.php will be reloaded.

Once index.php does not see config.tcpro.php nor installation.php an "Installation Corrupted" error message will display. In that case recover the installation.php file from your TeamCal Pro archive and direct your browser to TeamCal Pro again. The installation page will show automatically.

You can get further support at the Forum on <http://www.lewe.com>

3 Main Interface




TeamCal Pro Main Interface


TeamCal's Main Screen shows an application header, a menu bar, a status bar, the calendar and a footer. TeamCal Pro offers the option to make viewing the calendar depending on a valid login. If this feature is switched on and you are not logged in you will see an appropriate message instead of the calendar.

3.1 Menu Bar

Menu



TeamCal Pro Menu



TeamCal Pro Admin Menu

The following menus will be shown in the menu bar based on your privileges:

TeamCal

Login (opens the login window)

Logout (logs you out)

View

Calendar (loads the main Calendar page)

Year Calendar (loads the year calendar page)

Announcements (loads the Announcement page)

System Log (loads the System Log page)

Tools

User Profile (opens the Edit Profile window for the logged in user)

Message (opens the Message Center window)

Administration (opens the Administration sub-menu, this menu is only visible with administrator rights)

Users (opens the user management page)

Groups (opens the group management page)

Absence Types (opens the absence type management page)

Holidays (opens the holiday management page)

Declination Management (opens the declination management page)

Database Management (opens the declination management page)

Log Level Settings (opens the declination management page)

Environment (opens the TeamCal Pro Environment page)

PHP Info (opens the PHP Info page)

Help

Legend (opens the Legend window)

Help... - User Manual (Browser) (opens the User Manual)

Help... - User Manual (Windows HTML Help) (offers the User Manual CHM file for download)

Help... - User Manual (eBook) (offers the User Manual eBook for download)


Help... - User Manual (PDF) (opens the User Manual PDF file)

About TeamCal Pro (opens the About window)

Announcement Icon

 This announcement icon is shown if there are announcements available for the currently logged in user. Right next to it will be a number in brackets indicating how many announcements there are. A click on this icon will open the Announcement page.

Options Bar



To the right side of the menu bar you will find the following filter options when logged in OR when not logged in and no login is required to view the calendar:

Language: [English | v]

Choosing a different language reloads the main page using the selected language.
The default TeamCal Pro application supports 'English' and 'German'.
(The User Manual is only provided in English.)

Group: [All | v]

Filters the calendar display by showing all users alphabetically, grouped by user groups, or only those team members belonging to the selected group.

Group: [All | v]

Filters the calendar display by showing all users alphabetically, grouped by user groups, or only those team members belonging to the selected group.

Region: [default | v]

Selects the base calendar to be used for the calendar display. The administrator can set up several regional base calendars in order to maintain different sets of holidays.

Start: [July | v] [2004 | v] [Show 3 months | v]

Selects the first month/year to display and how many months will be displayed in total (3, 6 or 12 months).

[Apply]

Applies the selections you made in the previous drop down lists.

[Reset]

Resets all settings to the default.

3.2 Calendar Display

Calendar

September 2007		Remainder		This Month		1	2	3	4	5	6	7
Week						35		36				
Name		F	X	F	F	Sa	Su	Mo	Tu	We	Th	Fr
Carl, Coyote		12	10	20	0	0	0					
Duck, Donald		10	10	20	2	5	3				F	F
Gonzales, Speedy		12	8	20	0	0	0					
Head, Potatoe		12	10	20	0	0	0					
Lightyear, Buzz		12	8	30	0	0	0					
Mouse, Mickey		12	10	30	0	0	0					
Mouse, Minnie		12	10	20	0	0	0					
Spiderman		12	10	20	0	0	0					
Summary: +												

Calendar Display

The calendar display uses the same format for each month. You see the month name and year in the upper left header cell. Right next to it are the day of month fields under which the corresponding days of week are indicated. Each day is vertically colored corresponding to its day type (business day, weekend day, public holiday, etc.).

The holiday template for a month can be changed by clicking the notepad symbol on the right of the month name in the upper left cell. This button will only be displayed if you hold administrator or group manager rights. The Month Template dialog will open.


A row for each TeamCal user shows his specific absence symbols for each and every day of the given month.

You can click on a name to view the profile of the user. If you hold administrator rights you can edit the users' profile by clicking on his name. Clicking on your own name when logged in will open the edit dialog for your profile.

Right to the name of the user you can find a little wrench symbol that you can click to edit the absences of the specific user. If you are a regular user you will only see the wrench button next to your own name. If you hold group manager rights you will see the button next to your own name and all names of the members of the managed group. Administrators see all wrench buttons.

Avatars


If the Avatar feature is enabled an avatar image pops up when moving the mouse over the user icon. Note: The user icon feature must be switched on as well for the avatars to function.



Avatar Display

User Popup Info

User popup notes can be set in the user profile. If a user popup note was entered a little red corner icon is displayed in the upper right corner of the user name field in the calendar display. The popup will show when the mouse is moved over the field showing the wrench icon.





Day Notes, Birthdays

You can set a general day note for the day and each user can set a personal day note for a given day. If such a day note exists a little red mark will be displayed in the upper right corner of its cell (see image below). When moving the mouse over that cell the day note will pop-up like a tool tip. You can maintain the general day notes in the month template dialog and the personal day notes in the user calendar dialog. The personal day notes may be disabled for regular users by the administrator.

Birthdays are shown in a similar way, indicated by a little green mark. Whether the birthday for a user is shown in the calendar or not can be set in the user profile dialog. If you want to show the birthday but hide the age (You're welcome, Ladies!) you can also set that in the user profile.

When a day holds a personal day note and a birthday the red mark will be used. Both information can be read in the pop-up.



Remainder

The **Remainder** display is an expandable section. You can display or hide the remainders by clicking the little toggle icon right next to the weekday row. It will display the remaining allowance for each absence type for each person for the current year. The figures will always show the values for the current year (January 1st - December 31st), even if you display a month of the previous or next year.

The administrator can configure which absence types will be included in this section. He can also set whether the total available at the beginning of the current year will be shown next to the remainder (a.g.: 7/12). The allowance will include the left-over of the last year which can be changed in the users profile.

September 2006		Reminder			
Week					
Name				N	
 Carl, Coyote		12	0	0	20
 Duck, Donald		12	-2	0	20
 Head, Potatoe		12	0	0	20
 Lightyear, Buzz		12	0	0	30
 Mouse, Mickey		11	-1	-1	29
 Mouse, Minnie		12	0	0	20
 Spiderman		12	0	0	20
Summary: 					

Reminder Display

Totals Display

The remainder section can be configured to also include a totals section. This section displays the amount of instances per absence type taken for the month displayed. So if a user has been checked three home office days for the current month a '3' will be shown here. Whether an absence type is included in this totals section can be configured per each absence type.

This Month			
F			
0	0	0	
2	5	3	
0	0	0	
0	0	0	
0	0	0	
0	0	0	
0	0	0	
0	0	0	

Totals Display

Sort Order

Next to the "Name" caption you can see an arrow indicating the sort order of the user list. If the arrow points down the user list is sorted ascending by last name (A first, Z last). Click the arrow to revers the list into a descending order (Z first, A last).

April 2007
Week
Name
Carl, Coyote
Duck, Donald
Gonzales, Speedy

Sort Arrow

Summary

The summary display is an expandable section. You can display or hide the summary by clicking the little toggle icon right next to the "Summary" title. A couple of more rows will show the different counts of presence and absence.

The **Summary** section shows the amount of present and absent people for each day. The **Absence Summary** section shows the count of each absence type (not marked to count as 'present') per day.

- Present:** How many people are present or have taken absence types that count as 'present'
- Absent:** How many people have taken absences
- Delta:** Weight (Delta) between presence and absence. E.g. if 5 of 8 users are absence and 3 are present the delta is 5-3=2.

Summary: ☐	
Present	9 9 9 9 9 8 8 9 8 8
Absent	0 0 0 0 0 1 1 0 1 1
Delta	9 9 9 9 9 7 7 9 7 7
Absence Summary:	
Day Off	0 0 0 0 0 0 0 0 0 0
Duty Trip	0 0 0 0 0 0 0 0 0 0
Not Present	0 0 0 0 0 0 0 0 0 0
Sick	0 0 0 0 0 0 0 0 0 0
Tentative Absence	0 0 0 0 0 0 0 0 0 0
Training	0 0 0 0 0 0 0 0 0 0
Vacation	4 0 0 0 0 0 1 1 0 1

Summary Display

3.3 Year Calendar Display

New in version 3.0 is the year calendar display. It shows the absences of one user for a full calendar year (January 1st - December 31st.).

2007	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu							
January		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31					
February		1					2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28				
March																																					
April								1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
May			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31				
June						1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		
July							1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
August				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31			
September						1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		
October		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31					
November				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30				
December						1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	

Year Calendar Display

After selecting 'Year Calendar' from the 'View' menu, the display defaults to the current year for the user currently logged in. If the user 'admin' is logged in the first user (alphabetically by last name) is displayed.

Based on your user account's authorization you can select other years and users in the menu bar of the year calendar page:

Year: 2007	User: Gonzales, Speedy	Apply	Reset
------------	------------------------	-------	-------


Year Calendar Page Menu Bar

The display itself offers many features you already know from the monthly view. You will find popup menus for day notes and user notes, you will find icons to edit each month's holidays and the calendar of each month for the selected user. The current day (if the current year is displayed) will be marked with the 'today border color' set in the configuration of TeamCal Pro. Also, each Monday shows the calendar week number of that week in the year at the bottom of the cell.

2007	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
January	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
February																				
March																				
April																				
May																				

Year Calendar Details

3.4 Announcement Popup



Announcement Popup

TeamCal Pro distinguishes between **silent** and **popup** announcements. Popup announcements will pop up in a window when the user logs in (see above). Silent announcements will only be displayed on the announcement page. Whether a user has silent announcements will be indicated with an icon in the menu bar. Either a click on that icon or using the View-Announcements menu will display the announcement page. The announcement page will show both, silent and popup announcements.

Timing


Announcement popups are checked right after the calendar is displayed. In order not display the popup each time the calendar is refreshed the popup is only displayed if the login is not longer ago than 20 seconds.

Buttons

- **[Confirm]**

Will remove the announcement from the users' list. This button will not delete the announcement itself. Announcements can only be deleted by the administrator using the database maintenance.

3.5 Announcement Page



Announcement Page

When a user is logged in he can display his announcement page. He can either do that by opening the 'View' menu and selecting 'Announcements' or, in case that there are announcements for him or her, he can click on the announcement icon that will also show in the menu bar.

On the page all announcements meant for the user, whether sent to him as a single user or as a member of a group or All will be displayed. Each announcement entry will also show a 'Confirm' button. By clicking this button the user can confirm that he read the message and remove it from his list. The button will not delete the announcement itself. It will only take it from his list. Other user that this announcement was sent to as well (e.g. a group announcement) will still see it on their announcement page.

TeamCal Pro distinguishes between **silent** and **popup** announcements. Popup announcements will pop up in a window when the user logs in. Silent announcements will only be displayed on this announcement page.

Buttons

- **[Confirm]**
Will remove the announcement from the users' list. This button will not delete the announcement itself. Announcements can only be deleted by the administrator using the database maintenance.

3.6 Global Statistics Display

The statistics page offers statistical information of the current database based on a specific time period this period can be selected in the upper part of the page.

Time Period

There are ways to select a statistic report time period. Prepared are the most common periods these statistics are usually requested.

Standard Period Selection

Current Month ▼ All ▼ All ▼ Apply

Selecting a Standard Period

- **Current Month**
This period reaches from the first day to the last day of the current month
- **Current Quarter**
This option selects the current quarter of the year (Jan-Mar, Apr-Jun, Jul-Sep, Oct-Dec) based on the current month. If the current month is May the second quarter will be taken, which is 01. April - 30. June.
- **Current Half**
This option selects the current half of the year (Jan-Jun, Jul-Dec) based on the current month. If the current month is May the second quarter will be taken, which is 01. January - 30. June.
- **Current Year**
This option selects the current year, which always is 01. January - 31. December.
- **Group Filter**
The second drop down box provides the option to show the selected statics for one group only.
- **Absence Filter**
With this drop down you can select an absence type filter that is applied to the first two diagrams about total absences per user and per group.

Custom Period Selection


2009-01-01 2009-12-31 All ▼ All ▼ Apply

Selecting a Custom Period

The custom period selection offers the option to choose an individual period, group and absence type for which the statistics will be displayed.

Statistics

Total Absence per User:




Total Absence per User

This statistic displays all taken absences (all absence types or as filtered) in the chosen time period accumulated for each user and also shows the total amount. The total amount is shown as:

- **Total (persons)**
These are the accumulated absence days of all persons (netto absence).


Total Absence per Group:



This statistic displays all taken absences (all absence types or as filtered) in the chosen time period accumulated of each user group and also shows the total amount. The total amount is shown as:

- **Total (groups)**
The absence days of all groups are accumulated. If a user is member in two or more groups a single absence day of him or her will count for each of his/her groups (brutto absence).
- **Total (persons)**
These are the accumulated absence days of all persons (netto absence).


Total Presence per Group:



This statistic displays all presences in the chosen time period accumulated of each user group and also shows the total amount. The total amount is shown as:

- **Total (groups)**
The presence days of all groups are accumulated. If a user is member in two or more groups each presence day of him or her will count for each of his/her groups (brutto presence).
- **Total (persons)**
These are the accumulated presences days of all persons (netto presence).


Total Presence per User:



This statistic displays all presences in the chosen time period accumulated for each user and also shows the total amount. The total amount is shown as:

- **Total (persons)**
These are the accumulated presences days of all persons (netto presence).


Total Absence by Type



Total Absence by Type

This report lists all taken absences accumulated for each absence type.

Total Remainders




This report is always based on the time period of the current year, 1. January - 31. December, independent from any selected period. It lists all remainders of all users (except those hidden from the calendar) or the selected group based on their taken absences and their allowance (i.e. Allowance minus Taken). Only those absences are taken in consideration where the allowance and its factor is greater than zero.

Additionally the remaining business days in the current year are shown, and also the remaining man days. The latter are the remaining business days multiplied with the amount of users in the calendar.


3.7 Remainder Current Year

This statistics page offers a visual representation of the remainders of each absence type for each user in the current year. Only absence types with a maximum allowance set are included (Note: If you don't see an absence type here its allowance is probably set to 0.).

TeamCal Pro will loop through each group and in each group through each user. A diagram is created for each user. You can narrow the selection by choosing a specific group or user only.



Users might have a remainder from the previous year. That value is also shown in the table. The diagram shows the total remainder from last year and the current year. You cannot select the year since the allowance is always computed against the current year plus the remainder of the last year.



4 Dialogs


Most of the settings and options in TeamCal Pro are displayed and changed in dialog windows, which actually are small browser windows with reduced navigation features.

All changes you make in those dialog windows you must apply first using the [Apply] button before they are written to the database. You can close a dialog by clicking the [Close] button or the [Done] button. Only the [Done] button will trigger a refresh of the page that launched the dialog.

Buttons

- **[Apply]**
Writes the information in the dialog to the database.
- **[Clear]**
(some dialogs) Clears the settings in the dialog, does not undo a previous Apply.
- **[Close]**
Closes the dialog. Does NOT refresh the page the launched the dialog.
- **[Done]**
Closes the dialog and refreshes the page that launched the dialog.

4.1 Daynote



Daynote Dialog

You can store a note of 80 characters for each day. A day holding a day note will be displayed with a special background color in the regular calendar display. There the day note will pop up like a tool tip.

Enter the day note in the text box and click the 'Save' button to store it. After you're done click [Close]. The dialog will close and the month template dialog will automatically be reloaded and reflect your changes.


Buttons

- **[Create]**
This button only appears if the day holds no day note yet. Clicking this button will create it.
- **[Save]**
This button only appears if the day holds a day note already. Clicking this button will save (update) it.

- **[Delete]**
This button only appears if the day holds a day note already. Clicking this button will delete it.
- **[Help]**
Open this section of this manual.
- **[Done]**
Closes the dialog and refreshes the page that launched the dialog.

4.2 Add/Edit Profile

The user profile dialog uses tabs to display user specific information for viewing or editing.



Buttons

Independently from the selected tab the following buttons are available (Note: You can make changes on all tabs switching back and forth. The Update button will apply them all.):

- **[Delete]**
Will delete this user (only available if you hold administrator rights).
- **[Update]**
Will update the user profile with the information in this dialog.
- **[Apply]**
Will update the user profile with the information changed.
- **[Upload]**
Will upload an avatar image.
- **[Help]**
Will display this section of this manual.
- **[Done]**
Will close this dialog and refresh the launching page.

4.2.1 Personal Data

Edit User Profile: Coyote Carl

Personal Data | Membership | Options | Privileges | Absences | Avatar

Personal Details

Name: Coyote Carl

Username: ccarl

New Password:

Verify Password:

Last Name: Carl

First Name: Coyote

Title:

Position:

ID-Number: 12345

Phone:

Mobile:

e-Mail:

Birthday: 00000000 (Format: YYYYMMDD)

Gender: ☒ Male ☐ Female


Apply Help Done

Personal Data Tab

Fill in the user information here.


- **Username:**
You cannot change your username. The administrator sets the username when creating an account.
- **New Password, Verify Password:**
If you want to change your password type it in here.
- **Last Name, First Name, Title, Position, ID-Number:**
Change your name, title and position information here. If you are managing employees you might wanna use the ID-Number field as well to store the employee identification number.
- **Phone, Mobile, e-Mail:**
Change your phone and e-Mail information here.
- **Birthday**
Fill in the birthday here. Note: On the options tab you can set a flag to display the birthday in the calendar via a day note. If you want to display the birthday but hide your age you can also set that on the Options tab.

You can use the convenient date picker to enter the date. Clicking on the desired day in the date picker will automatically fill the appropriate edit box.



- **Gender:**
Select the user's gender.

4.2.2 Membership



Users can be member of multiple groups. In this section you can check the groups this user belongs to and also select his type of membership. He can either be a regular member or a group manager of that group. You can assign more than one manager for a group. Depending on TeamCal's authorization mode (configurable by the system administrator) a group manager may edit the data of all group members. Default setting is that only the Administrator may change group memberships.

4.2.3 Options

Options

Select miscellaneous options

☒ Show my own groups only

☒ Show my birthday in calendar

☒ Ignore my year of birth (age)

☐ Notify me about other birthdays

Default Language: english
Default Group Filter: All

Default Theme: deviant
Default Region: Germany

e-Mail Notification

I want to be notified by e-Mail when:

☐ A user is added or changed

☐ A group is added or changed

☐ A month template is changed

☐ An absence type is added or changed

☐ A holiday type is added or changed

☐ A user calendar is changed of group All

Options Tab

In the upper portion of this tab you can set:

- **Show own groups only**

With this switch on, the calendar display for this user (when logged in) will only show the user himself and all fellow group members by default. However, in the calendar display the user can still set the group filter to "All".

- **Show Birthday in Calendar**

With this switch on, the calendar display will show a day note on this users' birthday. The corresponding tool tip when hovering the mouse over this day will show the exact birthday and the age of the user.

- **Ignore Year of Birth**

Optionally you can switch of the age information for this feature so the tool tip will only show the birthday month and day. (My experience tells me that most of the ladies will appreciate this feature. :-)

- **Notify me about other birthdays**

With this switched on, the user will receive a message when another user's birthday is on the current day.

- **Default Language**

The default language for TeamCal can be set here per user.

- **Default Group Filter**

The default group filter for the calendar display can be set here per user.

- **Default Theme**

The individual default theme for this user can be selected here.

- **Default Region**

The default region (base calendar) for the calendar display can be set here per user.

TeamCal Pro offers notification e-Mails on certain events. Each user can chose here about which events he would like to be notified by e-Mail.

- **A user is added or changed**

Each time a user is added or a user profile is changed a notification e-Mail is sent to each user that has this check box activated.

- **A group is added or changed**

Each time a group is added or a group profile is changed a notification e-Mail is sent to each user that has this check box activated.

- **A month template is changed**

Each time a month template is changed (e.g. a certain day is marked as a public holiday) a notification e-Mail is sent to each user that has this check box activated.

- **An absence type is added or changed**

Each time an absence type is added or changed a notification e-Mail is sent to each user that has this check box activated.

- **A holiday type is added or changed**

Each time a holiday type is added or changed a notification e-Mail is sent to each user that has this check box activated.

- **A user calendar is changed of group ...**

Each time a user calendar is changed and the user belongs to the specified group a notification e-Mail is sent to each user that has this check box activated.

4.2.4 Privileges

The screenshot shows the 'Privileges' tab of a user profile dialog. The tab is highlighted in orange. It contains two sections:

- Special User Type**: A section with the heading 'Grant privileges by assigning a special user type'. It contains four radio buttons:
 - Regular User (Member and/or Manager)
 - Director
 - Administrator
 - Template User (Hidden user, absences are copied to all users of the same group) - This option is selected.
- User Status**: A section with the heading 'Set user status'. It contains three checkboxes:
 - Account locked
 - Login On Hold
 - Hide user in calendar

Below the dialog, the text 'Privileges Tab' is centered.

This dialog tab is only available if you hold administrator rights.

TeamCal Pro supports several user types granting different rights in viewing and editing data. However, what rights these user types have firstly depends on the global setting "public_mode" and "registered_mode". If

"registered_mode" is set to "view_own" only the Administrator or Group Manager can edit data, none of the other users can.

- **Regular User**

This user is a regular user. He can be a simple member or a manager of a group.

- **Director**

Same as a regular user but this user type can view all calendars even if "authorization_mode" is set to disable this right. He can use the message center. It is meant to be a viewing account from a directors point of view.

- **Administrator**

This user type can view all calendars. He can use the message center. He can edit all calendars and profiles. Additionally the administrator can edit the month templates, change holiday types and absence types. He can also add and edit the groups and users.

- **Template User (Hidden user, absences are copied to all users of the same group)**

Template users offer a way to set absences for a whole group in one shot. All absences set for a template user are also applied to all other users of the same group(s) that the template user is assigned to. This can either be a regular user (real person in your group) or a dummy user that can also be hidden from display. Read more...

TeamCal Pro currently supports the following user status:

- **Account Locked**

Checking this box will lock the account. He cannot log in until it is unchecked by an administrator.

- **Login On Hold**

This user had too many bad login attempts. His login is on hold for the grace period (default 120 seconds). You can force the login on hold process by checking this box or cancel it before the grace time is over by unchecking it.

- **Hide user in calendar**

This switch enables the administrator to exclude a user from being displayed in the calendar. None of the user data is deleted or altered. He is just not displayed in the calendar view.

4.2.5 Absences

Personal Data | Membership | Options | Privileges | **Absences**

Absence Counts

Show absence counts from to:

Absence	Last Year	Allowance	Taken	Factor	Remainder
Day Off	0	12	2	1	10
Duty Trip	0	0	3	1	-3
Home Office	0	24	1	1	23
Not Present	0	6	0	1	6
Sick	0	24	1	1	23
Tentative Absence	0	0	0	1	0
Training	0	14	0	1	14
Vacation	0	30	2	0.5	28

Absences Tab

If you have appropriate rights the user profile dialog also shows the current absence counts at the bottom. The default period counted is the current year (January 1st until December 31st). You can change the period by entering a new start and end date in the corresponding text box. Start and end date will be included in the count. Use the format YYYYMMDD.

Example: 20050215 = February 15th, 2005.

You can use the convenient date picker to enter the date. Clicking on the desired day in the date picker will automatically fill the appropriate edit box.

? **August, 2008** x

<< < Today > >>

wk	Mon	Tue	Wed	Thu	Fri	Sat	Sun
31					1	2	3
32	4	5	6	7	8	9	10
33	11	12	13	14	15	16	17
34	18	19	20	21	22	23	24
35	25	26	27	28	29	30	31

Select date

Date Picker

Each absence type line will show a value for the amount left from last year, the allowance for the counting period and the amount taken in the counting period. The remainder shows the amount left for the counting period.

The general allowance for an absence type is set by the administrator. The allowance here is the individual allowance for this user and will overrule the general allowance if it differs from it. The left over value from last year is an individual value.

- **Update**

Refreshes the dialog using the new start and end date for the absence count period. It will also save the Last Year and Allowance values for this user.

4.2.6 Avatar



Avatar

Upload an image from your hard drive. Allowed are images of the type JPG, GIF and PNG, not bigger than 250 KB with a maximum size of 100*140 pixel.

Browse...

Upload

Avatar Tab

Users can be assigned an avatar, a thumbnail like image. This avatar will show when moving the mouse over the name of the user in the calendar display. However, the administrator has to switch this feature on.

Use the Browse button to select an image file from your local hard drive that you want to use as your avatar. Make sure the image you upload complies to the following rules.

- image format must be GIF, JPG, JPEG or PNG
- the file size must not exceed 250 KB
- the image size should not exceed 100*140 pixel (will be resized if bigger)

The administrator can change the limits for file and image size.

After selecting an image in the browse dialog click **Upload** to upload the image to the web server. If errors occur while the systems tries to upbad your image you will be notified with an error message.

All previous avatar images for the user will be deleted even if they were in a different format than the new one.

- **Upload**
Upload the selected image to the web server

4.2.7 Other

Personal DataMembershipOptionsPrivilegesAbsencesAvatarOther

Personal Information

Custom 1

Custom 2

Custom 3

Custom 4

Custom 5

Comment

Popup Info

Other Tab

Additional information for a user can be entered in the Other tab.

Custom 1 - 5


Five custom fields can be used to enter an 80 character text each. The captions "Custom 1" to "Custom 5" can be changed by the administrator in the TeamCal Pro configuration. They can be named for example "Position", "Project" or "Skype Name" or any other similar name you need.

Comment


The Comment field is a free text field that can contain several lines of text. You can use it to enter any free text information for this user.

Popup Info

The popup info field also holds free text of several lines. This text will be displayed in a popup window when the mouse is moved over the little wrench icon of this user in the calendar display.



4.3 Legend




Legend Dialog

The Legend dialog explains terms, symbols and colors that are used in the calendar display. The terms for holidays and absence types are not related to the language you select. These terms come out of the database itself and can only be changed by the administrator. Changes to the symbols, names and colors that the administrator applies to the absence or holiday types will be reflected in this dialog automatically.

Buttons

- **[Help]**
Open this section of this manual.
- **[Close]**
Closes the dialog.

4.4 Login



Login Dialog

Use the login dialog to login to TeamCal Pro. A username and a password must be supplied.

Buttons

- **[Login]**

will attempt the login with the given credentials. If successful, the login dialog will close automatically and reload the main page in order to now display items based on the new authorization. A login status text will be displayed in the status bar of the main page.

The login is not successful in the following cases (the dialog will stay open and display an according error message):

- No username and/or password was omitted
- The account was locked by the administrator
- The account is on hold due to too many bad login attempts
- The password was incorrect

- **[Close]**

Will close the dialog without reloading the main page.

- **[Help]**

Will display this section of this manual.

Bad Logins, Grace Period

TeamCal Pro can be configured to trace bad logins and to put the login of an account on hold once a certain amount of bad login attempts is reached. The account will be put on hold for a certain period of time (grace period, default is 120 seconds). If the user tries to login within his grace period an error message will be displayed also showing the remaining grace time in second.

The default amount of bad logins before the account is put on hold is 5 but may have been changed by the administrator. The error message will reveal that amount. The default grace period is 120 seconds but may have been changed by the administrator. The error message will reveal the remaining seconds.

4.5 Message Center

TeamCal Pro Message Center

Message Type and Recipients

☒ Send as e-Mail
☐ Send as Announcement
☒ Silent Announcement
☐ Popup Announcement

☐ All
☐ Group: Disney
☒ User: Carl, Coyote

Message

Subject: TeamCal Pro Message

Message: ...your text here...

Send Help Close

Message Center Dialog

Use the message center to send an e-Mail or an Announcement to a single user, a group or to all users.

The e-Mail function uses the SMTP functionality of the web server, so it must be set up and PHP must be configured accordingly. If you use the message center but no mails reach the recipients please contact your administrator.

If you send the message as an announcement it is saved in the TeamCal database. Each user who is supposed to get it according to your selection (User, Group, All) will see it then on his Announcement page or in a popup window upon login.

- **Message Type and Recipients**

- **e-Mail** (the message will be sent as an e-Mail)
- **Announcement** (the message will be stored as an announcement)
 - Silent Announcement (the message can only be seen on the announcement page)
 - Popup Announcement (the message will pop up when the user logs in)
- **All** (all users will receive your message)
- **Group** (all users belonging to the selected group will receive your message)
- **User** (only the selected user will receive your message)

- **Subject**

This will be the subject of your message.


- **Message**

This will be the body text of your message.

Buttons

- **[Send]**
Will send the message according to your selections.
- **[Help]**
Will display this section of this manual.
- **[Close]**
Will close the dialog.


4.6 Month Template



The month template dialog displays a specific month of a specific region providing the option to store day notes and mark holidays. The month, year and region can be seen in the header. All users will these notes and holidays. You need to press [Apply] to make your changes permanent. After you're done click [Close]. The dialog will close and the main page will automatically be reloaded and reflect your changes of the month template.

Day notes

In the day note row you will see a notebook icon for each day. This feature maybe disabled for regular users by the administrator. Clicking this icon will open the day note dialog. You can store a note of 80 characters for each day. A day holding a day note will be displayed with a special marker in the regular calendar display. There the day note will pop up like a tool tip when moving the mouse over the marked cell.



Holidays

The subsequent rows in the month template dialog represent the configured holiday types and hold check boxes for each day of the month. If you want to set a holiday type for a specific day just check the box in the corresponding field. You can check several boxes before applying your changes. The appropriate days will then be colored according to your new settings.

Buttons

- **[Clear]**
Clears all check marks.

- **[Apply]**
Writes the information in the dialog to the database.
- **[Help]**
Open this section of this manual.
- **[Done]**
Closes the dialog and refreshes the page that launched the dialog.

4.7 User Calendar

Calendar of Potatoe Head

October 2007

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Daynote																															
Tentative Absence	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
Duty Trip	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
Day Off	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
Home Office	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
Not Present	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
Sick	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
Training	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	
Vacation	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	

Date Range Input

Absence Type: From: To:

Tentative Absence ☐

The date range must be within this month.

Recurring Input

☐ Monday ☐ Thursday ☐ Sunday Absence Type:

☐ Tuesday ☐ Friday Tentative Absence ☐

☐ Wednesday ☐ Saturday

Comment/Reason (will be put in notification mails)

Enter comment/reason for your request here...

Clear Apply Help Close Done


User Calendar Dialog

The user calendar dialog displays a specific month and shows a row with check boxes for each configured absence type. If you want to set a certain absence type for a specific day just check the box in the corresponding field and click [Apply]. You can check several boxes before applying your changes. The appropriate days will then be colored according to your new settings.

Clicking the [Clear] button will uncheck all markers and apply the changes to the database. So you don't need to click [Apply] after clicking [Clear].

Personal Day notes

In the day note row you will see a notebook icon for each day. Clicking this icon will open the day note dialog. You can store a user specific note of 80 characters for each day. A day holding a day note will be displayed with a special marker in the regular calendar display. There the day note will pop up like a tool tip when moving the mouse over the marked cell.



After you're done click [Close]. The dialog will close and the main page will automatically be reloaded and reflect your changes of the users calendar.

Date Range Input

If you want to enter a longer period of absence you can use the date range input to do so. Select the absence type in the drop down box, then enter the From- and To-date of the absence. Note that the range must be within the month you are editing. If you wanna enter a range that spans over two months you must edit both months separately.

Date Range Input

Absence Type: From: To:

Tentative Absence 00000000 00000000

The date range must be within this month.

Date Range Input

Recurring Input

Another way of marking absences is the recurring input. Say you have a day off every Friday. Just check the Friday checkbox in the Recurring Input frame, pick the appropriate absence type in the drop down list in the same frame and click Apply. All Fridays in the upper portion will then be marked with that absence type.

Recurring Input

☐ Monday ☐ Thursday ☐ Sunday Absence Type:

☐ Tuesday ☐ Friday Tentative Absence

☐ Wednesday ☐ Saturday

Recurring Input

Comment/Reason

This field offers the input of a comment for this absence request. It may be used to give a reason for the request that can be used by the manager to approve the request in case it is declined based on the declination management settings. This comment will be put in the notification e-mails.

Buttons

- **[<<]**
Page one month backward
- **[>>]**
Page one month forward
- **[Clear]**
Clears all check marks in the calendar and applies it to the database.
- **[Apply]**
Writes the information in the dialog to the database.
- **[Help]**
Open this section of this manual.
- **[Done]**
Closes the dialog and refreshes the page that launched the dialog.

4.8 User Registration

User Registration

Registration Details

Lastname
 Firstname
 Username
 e-Mail Address
 Password
 Repeat Password
 Gender: ☐ Male ☐ Female
 User Group:

 Security Code

User Registration

TeamCal Pro supports user self registration. A user can submit his basic personal data so an account is created for him. The user self registration may be based on three security levels. The administrator can configure this security level in the TeamCal Configuration. A corresponding result information will be shown in the dialog after [Submit] is pressed:

Result

Your registration was successful. An e-Mail has been sent to you with a confirmation link that you need to follow to verify your account. Also, the administrator needs to approve your registration.

Security

- **No security**

The user's data are accepted as entered, an account is created and the new user can login right away and will be shown in the calendar.

- **Account verification**

The new user account is created but will be locked and hidden. An e-Mail with a verification link will be sent to the e-Mail address provided in this dialog. The user has to follow that link in order to verify his account. After that the user can login and he will be shown in the calendar. (This level can be combined with "Administrator approval".)


- **Administrator approval**

The new user account is created but will be locked and hidden. The administrator has to approve this account manually. Then the user can login and he will be shown in the calendar. (This level can be combined with "Account verification".)

Buttons

- **[Submit]**
Submit the registration information
- **[Help]**
Open this section of this manual.
- **[Close]**
Closes the dialog

4.9 View Profile



View User Profile



Name: Coyote Carl
Username: ccarl
Position:
ID-Number: 12345
Group: Looney - Looney Tunes Characters (Manager)
Phone:
Mobile:
e-Mail:
Gender: Male

Send an e-Mail to this user:

Subject:
Message:

View Profile Dialog

The view user profile dialog shows all relevant user information and offers the option to send a mail to this user directly from your browser.

The following buttons are available:


Buttons

- **[Send e-Mail]**
Send the text in the Message field as an e-Mail to this user using the Subject text as subject.

- **[Help]**
Will display this section of this manual.
- **[Close]**
Will close the dialog.

5 Administration

If your account holds administrator rights the Tools Menu contains the Administration menu. Selecting it will open the administration sub-menu providing the entries for all administrative activities.



Administration Submenu

5.1 TeamCal Pro Configuration

TeamCal Configuration	
Calendar Display Options	
Show Worknumbers Checking this option will add a line to the calendar display showing the week of the year number.	☒
Show Remainder Checking this option will add an expandable column to the calendar display showing each user's remainder per absence type. Note: You need to configure the absence types that you want to be included in the remainder column.	☒
Show Remainder Totals Checking this option will add the total allowance per absence type to the remainder display separated by a slash. Note: The option only works together with "Show Remainder" switched on.	☐
Show Summary Checking this option will add an expandable summary section at the bottom of each month, showing the sums of all absences.	☒
Repeat Header Count Specifies the amount of user lines in the calendar before the month header is repeated for better readability.	25
Today Border Color Specifies the color in hexadecimal of the left and right border of the today column.	#FFCC00
Today Border Size Specifies the size (thickness) in pixel of the left and right border of the today column.	2
User Icons and Avatars	
Show User Icons Checking this option will show user icons to the left of the user's name indicating the user's role and gender.	☒

TeamCal Pro Configuration

Administrators have access to the TeamCal Pro Configuration via the Administration menu. The settings on this page have impact on the overall behaviour of TeamCal Pro. Each setting is explained in detail on the page itself. Some settings are dependent on others, this will also be indicated in the explanatory texts.

5.1.1 Theme Support



Theme selection on the Configuration page

TeamCal Pro supports themes. A theme is a collection of styles and images that makes TeamCal Pro look like it looks.

Each theme resides in an own folder in the 'themes' directory of your installation. It contains two sub-folders:

- **css**
Contains the style sheet of the theme
- **img**
Contains the images of the theme

Style Sheets

Each theme css folder contains a file named default.css. This file contains all standard styles of the application except for those that are defined by the settings of holidays and absence types. When you change the theme on the configuration page and click [Apply], TeamCal Pro will read the default.css file, then add all appropriate styles for holidays and absence and then create/overwrite a file named tcpro.css in the same directory. This file is the only one that TeamCal Pro reads to load the theme styles. So remember, when you change the default.css file you will not see any change when you refresh your browser. You must apply the configuration page first so TeamCal Pro creates the theme style sheet.

Images

All images that TeamCal Pro uses reside in the img directory in the corresponding theme folder. You may change the images but don't change their file names.

Creating an own theme

First, copy the 'tcpro' directory in the 'themes' folder giving it a new name. This name is listed in the drop down box on the configuration page. Let's say you call your theme "mytheme" then you would have a new directory called 'mytheme' in the themes folder.

In your directory you will find three style sheets:

default.css

This style sheet contains all basic styles of TeamCal Pro. It does not include the styles for holiday and absence types that you can change in TeamCal Pro itself. Those styles will be automatically added when you apply the configuration page. In this file here change all TeamCal Pro fonts and colors to your liking.

menu.css

This file contains the styles of the menu. Changes to this file will instantly apply when you refresh. The configuration page does not read this file nor does it create any styles from it. jsCookMenu is a separate applet that I want to keep separate.

calendar.css

This file contains the styles of the calendar picker popup that is used on several pages in TeamCal Pro. Changes to this file will instantly apply when you refresh. The configuration page does not read this file nor does it create any styles from it. jsCalendar is a separate applet that I want to keep separate.

img


After that you may want to change certain images in the mytheme/img folder. Create your own images and overwrite the ones in the img directory using the same file name. Changes to the images will instantly apply upon refresh.

Now pull up the TeamCal Pro Configuration page, select your new theme and click [Apply]. Your settings will be loaded instantly. Some browsers need a few page refreshes to load all styles correctly. What you might want to do after that is to adjust the individual styles of your Holiday types and Absence types so they match the design you have created.


If you make more changes to your default.css you must apply the configuration again to activate them.

TeamCal Pro Themes

TeamCal Pro comes with two themes, "tcpro", the classic design that everybody knows, and "deviant", a new design based on some darker colors presenting a more neutral impression.



The screenshot shows the TeamCal Pro Classic "tcpro" Theme interface. At the top, the header reads "TeamCal Pro Know who's in" with "Version 3.0" below it. A navigation bar includes "TeamCal", "View", "Tools", and "Help", along with a folder icon and "(1)". The language is set to "english" and the group is "admin". A message states "You are logged in as admin (Administrator)". Below this is a calendar for May 2007, showing a week starting on Tuesday (18th) and ending on Wednesday (19th). The calendar grid shows days 1 through 15. The user "Carl, Coyote" is listed with a key icon next to their name, indicating an absence. The interface is labeled "Classic 'tcpro' Theme".



The screenshot shows the TeamCal Pro New "deviant" Theme interface. The header reads "TeamCal Pro" with "Version 3.0" below it. The navigation bar includes "TeamCal", "View", "Tools", and "Help", along with a folder icon and "(1)". The language is set to "english" and the group is "admin". A message states "You are logged in as admin (Administrator)". Below this is a calendar for May 2007, showing a week starting on Tuesday (18th) and ending on Wednesday (19th). The calendar grid shows days 1 through 15. The user "Carl, Coyote" is listed with a key icon next to their name, indicating an absence. The interface is labeled "New 'deviant' Theme".

5.2 Users

Search first- and lastnames:

Manage Users

User	Attributes	Last Login	Action
Create <i>Create a new user...</i>			
Import <i>Import user from CSV file...</i>			
Admin (admin)		2007-04-19 22:20:06 EDT	Edit
Carl, Coyote (ccarl)		2006-09-10 00:54:59 EDT	Edit Delete
Duck, Donald (dduck)		2006-10-20 20:20:28 EDT	Edit Delete
Gonzales, Speedy (sgonzales)		2006-09-24 15:52:35 EDT	Edit Delete
Head, Potatoe (phead)		2006-09-10 00:54:59 EDT	Edit Delete
Lightyear, Buzz (blightyear)		2006-09-10 00:54:59 EDT	Edit Delete
Mouse, Mickey (mmouse)		2006-12-02 12:59:14 EDT	Edit Delete
Mouse, Minnie (mimouse)		2006-11-21 21:51:25 EDT	Edit Delete
Spiderman (sman)		2006-09-10 00:54:59 EDT	Edit Delete
User, New (nuser)			Edit Delete

Userlist

Search

You can search for user first names and last names. Type in your search string in the search box and TeamCal Pro will search for that string in all first names and last names. All users with that first name or last name will be displayed.

Search first- and lastnames:

User Search

Sort Order

Next to the "Name" caption you can see an arrow indicating the sort order of the user list. If the arrow points down the user list is sorted ascending by last name (A first, Z last). Click the arrow to revers the list into a descending order (Z first, A last).

Manage Users

User

Create *Create a new u*

Import *Import user from*

Admin (admin)

Sort Order

Icons

The Manage Users page will list all currently configured accounts in TeamCal Pro including the admin user. The user named "admin" will not be displayed in any calendar. The user icons in the display show the user type of the person:

-  Regular User (male/female)
-  Group Manager (male/female)
-  Director (male/female)
-  Administrator (male/female)

Attributes

The Attributes column symbolizes certain status of the user. Moving the mouse over the icon will give a detailed explanation:

-  The user reached the maximum amount of failed logins. His account is on hold for the grace period. Edit the profile to unhold him manually.
-  The user is locked. Edit the profile to unlock him.
-  The user is hidden and will not be displayed in the calendar. Edit the profile to unhide him.
-  The user has registered himself but not verified his account yet.

Last Login

This column shows the time stamp of the last login of this user. It is followed by the time zone identifier (e.g. CEST = Central European Standard Time).

Buttons

- **[Create]**
Create a new account
- **[Import]**
Import users from a CSV formatted file
- **[Edit]**
Edit the profile of this user
- **[Delete]**
Delete this user

5.3 Groups

Manage Groups					
[Shortname]	[Description]	[Min. Present]	[Max. Absent]	[Hide]	[Action]
				☐	Add
 Disney	Disney Characters	2	☒ 2	☐	Update Delete
 Looney	Looney Tunes Characters	2	☐ 3	☐	Update Delete
 Marvel	Marvel Characters	1	☐ 1	☐	Update Delete
 Pixar	Pixar Characters	1	☐ 1	☐	Update Delete

Manage Groups

The Manage Groups page will list all currently configured groups in TeamCal Pro. The box is offering editing capabilities at the same time. You can directly change the group name and the description. You can only update or delete one group at a time.

Input Fields

- **Shortname**
Enter a shortname here. This name will be shown in selection lists.

- **Description**

Enter a long name for your group.

- **Min. Present**

Ticking the check-box enables the minimum present check when group members request absences. In the text box next to it you can specify how many group members must be present at all times for this group. If this threshold is reached further absence requests by group members will be declined. Managers can still set this absence for their group members.

- **Max. Absent**

- Ticking the check-box enables the maximum absent check when group members request absences. In the text box next to it you can specify how many group members can be absent at the same time for this group. If this threshold is reached further absence requests by group members will be declined. Managers can still set this absence for their group members.

- **Hide**

Check this box if you want to hide this group from the calendar display.

Buttons

- **[Add]**

Adds a new group as entered in the text boxes on the left of the button.

- **[Update]**

Updates a group as entered in the text boxes on the left of the button.

- **[Delete]**

Deletes the group shown left of the button.

5.4 Group Assignment

Search first- and lastnames:

User Assignment ?												
User	User Type			Disney			Looney			Marvel		
Carl, Coyote (ccarl)	☒	☐	☐	☒	☐	☐	☐	☐	☒	☐	☐	☐
Duck, Donald (dduck)	☒	☐	☐	☐	☒	☐	☒	☐	☐	☒	☐	☐
Gonzales, Speedy (sgonzales)	☒	☐	☐	☒	☐	☐	☐	☒	☐	☒	☐	☐
Head, Potatoe (phead)	☒	☐	☐	☒	☐	☐	☒	☐	☐	☒	☐	☐
Lightyear, Buzz (blightyear)	☒	☐	☐	☒	☐	☐	☒	☐	☐	☒	☐	☐
Mouse, Mickey (mmouse)	☒	☐	☐	☐	☒	☐	☒	☐	☐	☒	☐	☐
Mouse, Minnie (mimouse)	☒	☐	☐	☐	☒	☐	☒	☐	☐	☒	☐	☐
Spiderman (sman)	☐	☒	☐	☒	☐	☐	☒	☐	☐	☐	☒	☐
Apply Help												

Group Assignment

The Group Assignment page offers a different, though more convenient way to change user types and to assign or unassign users to or from groups. Depending on how much groups you have created this page

might require horizontal scrolling since there will be a column added for each group.

User Type

User Type		
		
☐	☐	☐
☐	☐	☐
☐	☐	☐
☐	☐	☐
☐	☐	☐
☐	☐	☐
☐	☐	☐
☐	☐	☐

User Type
In the User Type Column you can select whether the user functions as a director or an administrator or if he just is a regular user. Members and managers of groups are considered to be regular users. Being a director or administrator does not affect the type of group membership. Each user can only hold one user type.

Group Assignment

Disney		
		
☐	☐	☐
☐	☐	☐
☐	☐	☐
☐	☐	☐
☐	☐	☐
☐	☐	☐
☐	☐	☐
☐	☐	☐

Disney Group Assignments
Each group is represented in a column showing the type of membership for each user in his row. The first sub-column, marked by an X, indicates that the user is not member of this group. The second sub-column, marked by a green user icon, indicates that the user is a regular member of this group. The third sub-column, marked by a blue user icon, indicates that the user is a manager of this group. Each user can only hold either one of those assignments per group, but there can be more than one manager for a group.

Search Users


Search first- and lastnames:

SearchReset

Search Users

If you have created many users you might want to narrow the selection shown on this page. By typing in a filter criteria in the search box you can display only those users matching your search string in their first or last name. The [Reset] button will list all users again.

Sort Users



The blue sort arrow next to the user column caption is actually a button and allow you to toggle the alphabetical sort order ascending and descending.

Buttons

- **[Apply]**
Updates all displayed users according to your settings
- **[Help]**
Displays this help page.

5.5 Absence Types

[Symbol]	[Name]	[Text]	[Backg.]	[#]	[*]	[R]	[T]	[A]	[P]	[M]	[H]	[Groups]	[Action]
F	Day Off	000000	00FF00	12	1							All	Icon... Update Delete
D	Duty Trip	000000	FF8300	20	1							All	Icon... Update Delete
H	Home Office	000000	A008E6	0	1							All	Icon... Update Delete
N	Not Present	000000	C0C0C0	10	1							All	Icon... Update Delete
S	Sick	000000	FF86C1	24	1							All	Icon... Update Delete
A	Tentative Absence	000000	EF8EF8	0	1							All	Icon... Update Delete
T	Training	000000	6495ED	10	1							All	Icon... Update Delete
U	Vacation	000000	FF0000	20	1							All	Icon... Update Delete

Manage Absences

The Manage Absence Types page will list all currently configured absence types in TeamCal Pro. The page is offering editing capabilities at the same time. You can directly change the absence symbol, name, text color and background color and other settings. You can only update or delete one absence type at a time.

Note: The absence type "Present" is not available for editing. It is the default absence type in TeamCal Pro using a blank symbol in the calendar and the browsers default text and background color.

Input Fields

- **Symbol**
Enter an alphanumeric symbol for the absence type.
- **Name**
Enter a long name for your description. This text will be displayed in the Legend dialog.
- **Text, Backg.**
Enter color values in hex format, e.g. 000000. The first two digits represent the color Red, the second two digits represent the color Green, the last two digits represent the color Blue. Combinations will mix the colors accordingly.
Examples: 000000 = Black, FFFFFFFF = White, FF0000 = Red, 00FF00 = Green, 0000FF = Blue, 888888 = Gray.
- **Allowance [#]**
Set an allowance for this absence type per year here. This amount refers to the current calendar year. When displaying a user profile the absence count section will contain the remaining amount for this absence type for the user (A negative value will indicate that the user has used too many absence days of this type.). If allowance is set to 0 no limit is assumed.

- **Factor [*]**

TeamCal can count the amount of days taken per absence type. You can find the results in the 'Absence' tab of the user profile dialog. The 'Factor' field here offers the option to multiply each found absence with a value of your choice. The default is 1.

Example: You create an absence type called "Half Day Training". You would want to assign it the factor 0.5 in order to get the total count of training days. An employee that has taken 10 half training days would end up with a total of 5 ($10 * 0.5 = 5$).

Setting the factor to 0 will exclude the absence type from the count.

- **Remainder Display [R]**

The Calendar Display offers an expandable section to display the remaining allowance for each absence type for each user for the current year. Use this switch to decide which absence types shall be included in that display.

If none of the absence types is marked for display in the remainder section then no expand/collapse button will be visible in the calendar display even though showing the remainder is generally switched on (config.inc.php).

Note: It does not seem to make sense to include an absence type in the remainder display when its Factor is set to 0. The allowance and remaining allowance will always be the same.

- **Totals Display [T]**

The remainder section can be configured to also include a totals display for the current month. This totals section shows the sums of each absence type taken for the month displayed. Use this switch to include this absence type in that section.

If none of the absence types is marked for display in the totals section then the totals section will not be shown at all.

- **Approval Required [A]**

Checking this box defines that this absence type requires approval by the group manager, director or administrator. A regular user choosing this absence type in his calendar will receive an error message telling him so. The group manager of this user will receive an e-Mail informing him that his approval is required for this request. He can then enter this absence for the user if he approves it.

- **Counts as Present [P]**

Checking this box defines that this absence type counts as 'present'. Let's say you maintain an absence type "Home Office" but since this person is working you do not want to count this as 'absent'. In that case check the [P] box and all Home Office absences count as present in the summary count section. Thus, 'Home Office' is also not listed in the absence type list in the summary count.

- **Manager Only [M]**

Checking this box defines that this absence type is only available to directors and managers. A regular member can see this absence type in his calendar but all check boxes are disabled. Only his manager or the director can check the boxes for him. This feature comes in handy if only the manager or director is supposed to manage this absence, e.g. vacation.

- **Hide in Profile [H]**

Checking this box defines that regular users cannot see this absence type on the Absences tab of their profile. Only Managers, Directors or Administrator will see it there. This feature is useful if a manager wants to use an absence type for tracking purposes only or if the remainders are of no interest to regular users.


- **Groups**

Absence types can be assigned to groups. That way you can allow an absence type only to be available for certain groups. New absence types will be assigned to all groups by default. Click the group icon to open the assignment dialog to change those assignments. The indicator shows:

All -> when this absence type is assigned to all groups

Selected -> when this absence type is not assigned to all groups

- **(color picker)**




Clicking the colored icon right of each color value field will open a popup providing a convenient color picker if you are not familiar with the hexadecimal representation of color values. Just click the desired color in the popup. The popup will close automatically and insert the chosen color into the field.

Buttons

- **[Add]**
Adds a new absence type entered in the text boxes on the left of the button.
- **[Icon...]**
TeamCal Pro also supports absence icons. These icons will be displayed in the calendar instead of the letter symbols. TeamCal comes with a variety of prepared icons to choose from. Click this button to open the absence icon dialog. You can select an icon from there. The absence icon dialog also offers an option to upload your own icons.
- **[Update]**
Updates an absence type as entered in the text boxes on the left of the button.
- **[Delete]**
Deletes the absence type shown left of the button.

5.6 Absence Icon



Absence Icon

TeamCal Pro also supports absence icons. These icons will be displayed in the calendar instead of the letter symbols. TeamCal Pro comes with a variety of prepared icons to choose from. This dialog displays all icons currently residing in the icon directory. Just select the radio button next to the icon you want for this absence type and click [Apply]. If you do not want an icon for this absence type select the radio button next to "None".

Buttons

- [Upload]**
Opens the upload dialog that you can use to upload your own icons.
- [Refresh]**
Refreshes this icon display. You should press this button after uploading an icon, so will see it in this display.
- [Apply]**
Assigns the selected icon to the absence type.
- [Help]**
Shows this help page.
- [Close]**
Closes this dialog.
- [Done]**
Closes this dialog and refreshes the absence type page. It will then reflect the icon you chose.

5.7 Regions

Manage Regions

[Shortname]	[Description]	[Hide]	[Action]
		☐	Add
 default	Default Region		Edit
 Canada	Canada Region	☐	Update Delete Edit
 Germany	Germany Region	☐	Update Delete Edit

Manage Regions Dialog

Regions in TeamCal Pro are used to provide different base calendars. You can set up different holidays in each region. The Manage Regions page will list all currently configured regions in TeamCal Pro. You can directly change the region name and the description. You can only update or delete one region at a time. The 'default' region is listed on this page for completion purposes. It cannot be deleted or changed.

Input Fields

- Short name**
Enter a short name here. This name will be shown in selection lists.
- Name**
Enter a long name for your region.
- Hide**
Check this box if you want to hide this region from being selected by users.

Buttons

- **[Add]**
Adds a new region as entered in the text boxes on the left of the button.
- **[Update]**
Updates a region as entered in the text boxes on the left of the button.
- **[Delete]**
Deletes the region shown left of the button.
- **[Edit]**
Opens the month template editor for this region.

5.8 Holiday Types

	[Name]	[Text]	[Backg.]	[Bus.Day]	[Action]
				☐	Add
15	Business Day	000000	FFFFFF	☒	Update
15	Public Holiday	000000	CCFFCC	☐	Update Delete
15	School Holiday	000000	99FF66	☐	Update Delete
15	Weekend Day	000000	FFFFCC	☐	Update

Manage Holiday Types

The Manage Holiday Types box will list all currently configured holiday types in TeamCal Pro. Holiday types are influencing the template display of each month. The box is offering editing capabilities at the same time. You can directly change the holiday name, text color and background color. You can only update or delete one holiday type at a time.

The holiday types "business day" and "weekend" cannot be deleted. These are the default day types in TeamCal Pro.


Input Fields

- **Name**
Enter a long name for the holiday type. This name will be displayed in the Legend dialog.
- **Text Color, Backg.**
Enter color values in hex format, e.g. 000000. The first two digits represent the color Red, the second two digits represent the color Green, the last two digits represent the color Blue. Combinations will mix the colors accordingly.
Examples: 000000 = Black, FFFFFFFF = White, FF0000 = Red, 00FF00 = Green, 0000FF = Blue, 888888 = Gray.
- **Bus.Day**
Make this day type count as a business day. That way you can make a weekend day count as a business day.

Buttons

- **[Add]**
Adds a new holiday type entered in the text boxes on the left of the button.

- **[Update]**
Updates an holiday type as entered in the text boxes on the left of the button.
- **[Delete]**
Deletes the holiday type shown left of the button.
- **(color picker)**



Clicking the colored icon right of each color value field will open a popup providing a convenient color picker if you are not familiar with the hexadecimal representation of color values. Just click the desired color in the popup. The popup will close automatically and insert the chosen color into the field.

5.9 Declination

Declination Management

Set options for absence request refusal

☐ Decline absence requests if a total absences threshold is reached for a given day.
(The following settings will have no effect if this option is unchecked.)

Total absences threshold: % based on: ☐ All ☐ Group

☐ Notify requesting user
☐ Notify Group Manager
☐ Notify Director(s)
☐ Notify Administrator

☐ Decline absence requests lying in the past.
(The following settings will have no effect if this option is unchecked.)

☐ Decline absence requests before today (the day the absence is requested)

Decline absence requests before:

☒ Decline absences in the following period.
(The following settings will have no effect if this option is unchecked.)

Decline absences between (including): and (including):

Declination Management

The declination management basically offers a check how many colleagues are already marked absent for a given day before a new absence request is confirmed. The absence threshold can be set here.

Example: Let's say the absence threshold is set to 50% based on Group. The group has 10 members, 4 of them have checked vacation on July 5th. A fifth member now uses TeamCal and checks July 5th for vacation as well and clicks Apply. The absence threshold for 50% will be reached so TeamCal will decline the request (a pop-up will be displayed to the user) and send a notification mail according to the settings in the above dialog.

Also a date can be set before which all absence requests are declined.

Options

- **Decline absence requests...**

Switches absence threshold checking and absence request declination on/off

- **Destination threshold**

Allowed percentage of absence

- **based on All**

Absence threshold is checked against all users

- **based on Group**

Absence threshold is checked against all users

- **Notify requesting user**

Send a mail about the declination to the requesting user

- **Notify Group Manager**

Send a mail about the declination to the appropriate group manager

- **Notify Director(s)**

Send a mail about the declination to all directors

- **Notify Administrator**

Send a mail about the declination to the administrator

- **Decline absence requests lying in the past.**

Switches absence past checking and declination on/off

- **Decline Absence before today**

Declines all absence request if they are before the day they are entered. This only applies to a change from present to absent.

- **Decline absence requests before:**

August, 2008							
Today							
wk	Mon	Tue	Wed	Thu	Fri	Sat	Sun
31					1	2	3
32	4	5	6	7	8	9	10
33	11	12	13	14	15	16	17
34	18	19	20	21	22	23	24
35	25	26	27	28	29	30	31

Select date

Enter the date here before which no absence request is accepted. Absence requests for the date it self will be accepted. This only applies to a change from present to absent.

- **Decline absences in the following period.**

Defines a period in which no absences are allowed. Regular users will receive a declination error when requesting an absence within this period.

- **Decline absences between (including):**

August, 2008							
Today							
wk	Mon	Tue	Wed	Thu	Fri	Sat	Sun
31					1	2	3
32	4	5	6	7	8	9	10
33	11	12	13	14	15	16	17
34	18	19	20	21	22	23	24
35	25	26	27	28	29	30	31

Select date

Enter the date here that is the beginning of the declination period. The date itself is included in the period

- **and (including):**

August, 2008							
Today							
wk	Mon	Tue	Wed	Thu	Fri	Sat	Sun
31					1	2	3
32	4	5	6	7	8	9	10
33	11	12	13	14	15	16	17
34	18	19	20	21	22	23	24
35	25	26	27	28	29	30	31

Select date

Enter the date here that is the end of the declination period. The date itself is included in the period.

Buttons

- **[Apply]**

Apply the settings made in this dialog

5.10 Database Maintenance

Database Maintenance

Clean up old templates and daynotes

Year: Month: (older than and including this month)

☒ Delete user related templates and daynotes

☐ Delete month templates and general daynotes

Please type in "CLEANUP" to confirm this action:

Manage Database

The Database Management is new in Version 2.2. It offers a clean-up feature for old user templates and also a much easier approach to clear the database.

Clean up old templates and day notes

Once you have used TeamCal Pro for a few months you may want to delete user absence records and day

notes of the past.

Enter the year and the month of the date that you want to use as the key date (data including this month and before will be deleted).

Also choose whether you want to

- **Delete user related templates and day notes**
to delete user related records only or whether you want to:
- **Delete month templates and general day notes**
as well.

Example: Year=2004 and Month=07 will delete all user templates older than and including July 2004. You need to confirm the deletion by typing in "CLEANUP" in the confirmation text box.

Delete database records

Delete database records

☐ Delete all users, their absence templates and daynotes (except "admin")

☐ Delete all groups

☐ Delete all holidays (except "weekend" and "business day")

☐ Delete all regions and their templates (except "default")

☐ Delete all absence types

☐ Delete all general daynotes

☐ Delete all announcements

☐ Delete orphaned announcements

☐ Clear System Log

Please type in "DELETE" to confirm this action:

Delete Database Records


You will find an easy way here to erase a large amount of data from your database.

- **Delete all users, their absence templates and day notes (except "admin")**
This option will delete all users except 'admin' including their absence templates and day notes.
- **Delete all groups**
This option will delete all groups.
- **Delete all holidays (except "weekend" and "business day")**
This option will delete all custom holidays. 'Weekend' and 'Business day' will not be erased since these two day types are basic to drawing a calendar (marking each Saturday and Sunday).
- **Delete all regions incl. templates and day notes (except "default")**
This option will delete all regions, all their month templates and all their general day notes. The 'default' region will not be deleted. If you just want to clear the default region (TeamCal Pro's base calendar, use the 'Delete all holidays' and/or the 'Delete all general day note' option.
- **Delete all absence types**
This option will delete all absence types. 'Present' is a special absence type and will stay as such in the database.
- **Delete all general day notes**
This option will delete all general day notes, those not assigned to a specific user.
- **Delete all announcements**
This option will delete all announcements and all assignments to users of them
- **Delete all orphaned announcements**
This option will delete only those announcements that have been read and confirmed by all users the announcements were assigned to.
- **Clear System Log**

This option will clear the system log.

You need to confirm the deletion by typing in "DELETE" in the confirmation text box.


Export Database



Export Database

You can export specific tables or the complete database from within TeamCal Pro's Database Maintenance page. In the "Table to export" drop down list select the table you want to export, or just leave the selection to "All" which will export all tables. Choose one of the formatting options that you would like the data to be presented. You can choose between 'CSV', 'SQL' and 'XML'. You can also decide where you want the output of the export to go. Select 'Browser' if you just want to see the data in your browser window. Select 'File Download' if you want to save the export to a local drive.

Restore Database



Restore Database

With version 3.0 TeamCal Pro supports backup and restore of the database. A file downloaded via 'Download Database Dump' in the Administration menu can be used to restore the database here. Click the [Browse] button to select a file from your local hard drive. Then click [Restore] to restore your TeamCal Pro database. **Restoring the database will overwrite all current data !!!**

Buttons

- **[Delete Records]**
Submit your deletion request
- **[Browse]**
Click to select a database dump file to restore
- **[Export]**
Exports the database according to your selection
- **[Restore]**
Click to restore the database from the selected file

5.11 System Log Options

System Log Options

Select event classes to log

☒ Log Absence Type events	☒ Log Database Maintenance events
☒ Log Daynote events	☒ Log Group events
☒ Log Holiday events	☒ Log Login events
☒ Log Month events	☒ Log Options events
☒ Log User events	☒ Log Announcement events
☒ Log Configuration changes	☒ Registration events

Update

Manage System Log

Most events in TeamCal can be logged so history information is available if needed. With this dialog here the administrator can switch on or off nine different event types for logging:

- **Log Absence Type events**
Switching this on will log all absence type activities (add, update, delete)
- **Log Database Maintenance events**
Switching this on will log all absence type activities (add, update, delete)
- **Log Day note events**
Switching this on will log all general day note activities (add, update, delete)
- **Log Group events**
Switching this on will log all group activities (add, update, delete)
- **Log Holiday events**
Switching this on will log all holiday activities (add, update, delete)
- **Log Login events**
Switching this on will log all login/logout activities
- **Log Month events**
Switching this on will log all month template activities
- **Log Options events**
Switching this on will log all system options changes
- **Log User events**
Switching this on will log all user related activities (add, update, delete, personal day note, templates)

5.12 System Log Page

System Log

Show log entries of the following event types:

☒ Absence
 ☒ Database
 ☒ Daynote
 ☒ Groups
 ☒ Holiday
 ☒ Login
 ☒ Month
 ☒ Options
 ☒ User
 ☒ Announcement
 ☒ Configuration
 ☒ Registration

Refresh

Timestamp	Event Type	User	Event
2006-10-04 18:50:00	Registration	admin	New user registration: sundance (Sundance Kid)
2006-10-04 18:48:31	Login	admin	Login successful
2006-10-02 21:08:47	Login	admin	Logout
2006-10-02 21:00:35	User	admin	User profile updated: dduck
2006-10-02 21:00:23	User	admin	User profile updated: ccarl

System Log Page

The system log page is available in the View menu when the user logged in holds Administrator rights. The log page displays all events that have been specified to log in the System Log Options.

You may hide certain event types by unchecking the corresponding check marks at the top of the log page. Hiding events in the display does not delete them from the database nor does it switch logging off for this type. It is simply a display filter.

5.13 Icon Upload Dialog

TeamCal Pro Icon Upload

Maximum filesize: 256000 bytes

Allowed extensions: .gif .jpg .png

Select file...: Browse...

Rename file: (no extension!)

Replace file: ☐

Upload

Help Close

Upload Dialog

The upbad dialbg provides an interface to upload image files to the TeamCal Pro web server. Dependent from where this dialbg was called from only certain file types and file sizes are allowed.

Options

- **Select file...:**
Type in the local file name (or use the browse button to select one)
- **Rename file**
Each file uploaded is given a random name during upload. It will not be named like the file you are uploading.

If you want the file to have a specific name specify it here. Do not type in the extension. If you are uploading a file called myicon.gif and you want to name the file myicon.gif just type in "myicon" here.

- **Replace file**

If you decided to give your file a custom name that already exists you can select to overwrite that file by checking this option.

Buttons

- **[Browse]**

Opens a dialog in which you can select a file from your local or network drive.

- **[Upload]**

Uploads the file as specified


- **[Help]**

Shows this help

- **[Close]**

Closes the dialog

5.14 Absence Assignment



Absence Assignment

In this dialog you can assign the absence type to certain groups only. By default absence types are assigned to all groups, meaning that all users can chose that absence type in their calendar. If you unselect a group here users of that group will not see that absence type in their calendar dialog anymore.

Buttons

- **[Assign]**

Applies the current selection of check marks.

- **[Assign All]**

Assigns all groups to this absence type.

- **[Help]**

Shows this help

- **[Done]**

Closes this dialog and refreshes the Absence Management page.

5.15 User Import

TeamCal Pro User Import

TeamCal Pro User Import

Select a CSV (comma separated values) file from your local hard drive. Make sure you read the help for details of the content.

Source CSV file to import:

Browse...

Default Group:

Disney

Default Language:

english

Lock user:

☒

Hide user in calendar:

☒

Import

Help

Close

Done

User Import

Administrators may import user accounts via a CSV file. This shall speed up the process of user creation if you want to migrate or copy user from another database.

CSV Requirements

The import feature expects a CSV file that follows these rules:

- field delimiter is a semicolon ;
- text enclose character is a double quote: "
- each record is ended by a carriage return/line feed (new line)
- no empty line at the end
- each record contains 11 fields:
 "username";"firstname";"lastname";"title";"position";"phone";"mobile";"email";"idnumber";"birthday";"showbir
 thday"
 (Note: An error message will point you to the faulty record.)

Example:

```
"rambo";"John";"Rambo";"Mr."; "Soldier";"+01/555 111 1115";"555 1000
111";"rambo@army.com";"M345T";"1960-02-01";"yes"
"rocky";;"Rocky";"Balboa";"Boxer";;"rocky@gym.com";;"1970-02-01";"no"
"butch";"Butch";"Cassidy";;"Bandit";"+01/555 111
1112";;"butch@holeinthewall.com";;"1980-02-01";"no"
"sundance";"Sundance";"Kid";;"Bandit";"+01/555 111
1111";;"sundance@holeinthewall.com";;"
"dances";"John";"Dunbar";;;;;;;;;;
"kyle";"Kyle";"Reese";;;;;;;;;;
"wallace";"William";"Wallace";"Mr."; "Hero";;;;;;"1976-02-01";"yes"
```

Import Rules

- If a line contains more than 9 fields the import is stopped. All records after the false one will not be imported. An error message is produced.
- If the username is "admin" the record will be skipped. For security and integrity reasons this username

cannot be imported via CSV.

- If a user with the imported username already exists the record will be skipped. CSV import will not overwrite existing user records of the same username.
- The default password for all imported users will be: password
- The default user type for all imported users will be: regular user
- The default gender for all imported users will be male.
- The default notification settings will be none.
- Show own groups only will be set to No.
- Show birthday will be set to No.
- Ignore age will be set to No.
- Notify Birthday will be set to No.
- Default view of groups will be All.
- For each imported user there will be an entry in the system log.

Options

- **Source CSV file to import**

Select a file from your local drive to import

- **Default Group**

All imported users will be assigned to this group

- **Default Language**

All imported users will be assigned this default language

- **Lock user**

All imported users will be locked. They can't login until the administrator unlocks them in their profile.

- **Hide user**

All imported users will be hidden from the calendar. They will not be listed in the calendar until the administrator unhides them in their profile.

Buttons

- **[Import]**

Will start the import

- **[Help]**

Will show this help

- **[Close]**

Will close the dialog

- **[Done]**

Will close the dialog and refresh the user list.

5.16 Template User

Overview

Template users offer a way to set absences for a whole group in one shot. All absences set for a template user are also applied to all other users of the same group(s) that the template user is assigned to. This can either be a regular user (real person in your group) or a dummy user that can also be hidden from display. If also the group he is assigned to is hidden the templates are completely invisible to regular users.

How to use

Let's say you are managing an international software development team. You have created the groups "Programmer" and "Tester". The Tester group has team members in Canada and in Germany. Now there is training planned for the testers in Germany while your team members in Canada have to work. You want to set the absence type "Training" for all your Germany based testers in one TeamCal Pro transaction and want to be prepared if such events happen again for your Germany team. Perform the following steps (needs Administrator rights):

1. Create a group "Germany"
2. Create a user "Germany". On the Privileges tab check the "Template User..." button.
3. Assign the user "Germany" to the group "Germany"
4. Assign all your Germany based testers to the group "Germany"
5. Switch to the calendar view and open the calendar of the template user "Germany"
6. Set the dates of training and click Apply. The click Done.
7. The Training absence has been applied to all other members of "Germany"
8. Now hide the group "Germany"
9. Also hide the template user "Germany"
10. Unhide both, group and template user the next time you want to set team wide absences



Rules

Template absences are not applied without honoring certain rules, meaning they do not overwrite any other absence in any case. The following rules apply:

- If the user is currently present on the day in question the absence is applied
- If the user is not present the absence is not applied except the absence type is the same as the previous template absence

Example

1. A template absence "Training" is created.
2. The user is currently present => the absence is applied to the user.
3. Later, one user sets himself to "Sick" on the first day of that training => the template absence is overwritten
4. The training is postponed for one day and the template absence "Training" is deleted from the first day => The user that is sick is not overwritten, all others that still hold the "Training" absence are unset again (set to present).

I recommend to play around with this feature to learn about its many and powerful capabilities.

Keyword Index

- A -

About 9
 absence 1, 11, 49, 61
 absence assignment 49, 61
 absence counts 30
 absence icon 49
 absence symbols 11
 absence threshold 54
 Absence Types 49
 Absences 30
 Account Locked 28
 accumulated 18, 21
 administration 9, 42
 administration page 42
 administrator 11, 28, 42, 45, 47
 agreement 1
 Allowance 11, 49
 announcement 9, 17, 18, 35
 announcement icon 9, 18
 announcement page 18, 35
 announcement popup 17, 18
 announcements 9, 56
 application 1, 9, 42
 Apply 23
 approval 39, 49
 assign group 47
 assignemt 49, 61
 assignment 47
 avatar 31

- B -

background color 49
 backup 56
 Birthday 11, 25, 27
 business day 11, 53

- C -

Calendar 9
 calendar display 11
 calendar week 15
 Clean up 56
 CLEANUP 56
 Close 23
 colorpicker 49
 comment 32
 configuration 42, 43
 css 43
 csv 56, 62
 Current Half 18, 21
 Current Month 18, 21
 Current Quarter 18, 21
 Current Year 18, 21
 custom field 32
 customization 1

- D -

Database 1, 42, 56
 database maintenance 42
 Database Management 56
 Date Range 37
 Date Range Input 37
 daynote 11
 daynotes 15
 declination 54
 declination management 54
 declination period 54
 default language 27, 62
 default group 62
 Delete Records 56
 dialog 23
 director 28, 45, 47
 display filter 60
 Done 23
 download 56

- E -

e-Mail 25, 35
 Environment 9
 event types 60

events 60
expandable 11
export 56

- F -

Factor 49
female 45
file 60, 62
file name 60
filesize 60
filter 9, 47
First Name 25
footer 9
format 31

- G -

Gender 25
GIF 31
GNU 1
GNU General Public License 1
GNU License 1
grace period 45
group 9, 47, 61
group announcement 18
group assignment 47, 49, 61
group manager 45, 47
group member 47
group name 46
groups 49

- H -

Half 18, 21
header 9
hidden 45
hidden group 63
hidden user 63
hide 28, 49
hide region 52
history 59
Holiday 11, 53
Holiday Types 53

- I -

icon 9, 49, 60
image 31, 60
images 43
img 43
import 62
individual 18, 21

- J -

JPEG 31
JPG 31

- L -

Language 9, 27
Last Name 25
Legend 9
License 1
local drive 62
locked 28, 45
log 59
log page 60
logged 59
logging 59, 60
Login 9
Logout 9

- M -

maintenance 42
male 45
Manage Groups 46
manage regions 52
Manage Users 45
manager 47
manager only 49
maximum absence 46
member 26, 47
membership 26
Menu 9
Message 9
message type 35
minimum absence 46

month 18, 21, 36
month template 36
MySQL 1

- N -

navigation 23
notebook 37
notebook icon 37

- O -

on hold 28, 45
orphaned 56
orphaned announcements 56
overview 15

- P -

Password 25
period 18, 21, 54
Personal Data 25
Phone 25
PHP 1
PHP Info 9
PNG 31
popup 11, 15, 17, 18
popup announcement 17, 18, 35
popup info 11, 32
Position 25
presence 1
Privileges 28
profile 11, 24
project plan 1
public holiday 11
Public License 1
public_mode 28

- Q -

Quarter 18, 21

- R -

recipient 35
region 52

region name 52
regions 52
registered_mode 28
registration 39, 45
Regular User 28, 45
remainder 11, 49
rename 60
resized 31
restore 56

- S -

save 56
section 11
security code 39
selection 18, 21
silent 18
silent announcement 17, 18, 35
size 60
skin 43
sort 47
sql 56
Start 9
statistical 18, 21
statistics 18, 21
status bar 9
Style Sheets 43
styles 43
symbol 49
symbols 11
system log 9, 59
system log page 60

- T -

team member 1
TeamCal 1
TeamCal Pro 1, 42
template 11, 36, 63
Template User 63
templates 63
text color 49
theme 43
themes 43
threshold 54
thumbnail 31
time period 18, 21

timeline 1
tooltip 37
total absence 18, 21
total absence by type 18, 21
total presence 18, 21
total remainder 18, 21
totals 49
type 18, 21

- U -

upload 31, 49, 60
user 47
user import 62
user info 32
User Manual 9
user note 11
user notes 15
user profile 24
user profile dialog 24
user registration 39
user type 47
Username 25

- V -

verification 39, 45

- W -

week number 15
weekend 53
weekend day 11
wrench 11

- X -

xml 56

- Y -

Year 15, 18, 21
year calendar 15
Year of Birth 27